

© *Elegans*

BY SMIR

SHOWER SEALS

CATALOGUE

PREMIUM SEALING SOLUTIONS
FOR MODERN BATHROOMS

2026



SLIDING DOORS SEALS

EMSF01
90° WING SEAL

For Sliding Shower Doors

Designed to create reliable watertight seal between a fixed glass panel and a sliding shower door.
Length of the wing is 15 mm.

WATER TIGHT SEAL


SECURE GRIP

UV STABILISED

CRYSTAL CLEAR

EASY INSTALLATION

FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

Suitable for oval, straight, corner and other types of shower enclosures.

TECHNICAL DETAILS



Product code	EMSF01
Type	Sliding Door Seal 90°
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between a fixed panel and a sliding shower door
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Sliding Door Seal (200 cm)

FINISH OPTIONS



CLEAR



BLACK

HINGED DOORS SEALS

EMSF03
STRAIGHT WING SEAL

For Hinged Shower Doors

Designed to create reliable watertight seal between a fixed glass panel and a hinged shower door.
Length of the wing is 15 mm.

WATER TIGHT SEAL



SECURE GRIP

UV STABILISED

CRYSTAL CLEAR

EASY INSTALLATION

FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

Suitable for oval, straight, corner and other types of shower enclosures composed by a fixed panel and a hinged door.

TECHNICAL DETAILS



Product code	EMSF03
Type	Hinged Door Seal 180°
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between a fixed panel and a hinged shower door
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Hinged Door Seal (200 cm)


FINISH OPTIONS



CLEAR



BLACK



HINGED DOORS SEALS

EMS F04
DOUBLE WING SEAL

For Hinged Shower Doors

Designed to create reliable watertight seal between a hinged shower doors against the floor. Length of the wing is 13 mm.

WATER TIGHT SEAL



SECURE GRIP

UV STABILISED

CRYSTAL CLEAR

EASY INSTALLATION

FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS



Product code	EMS F04
Type	Hinged Door Seal
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	On hinged shower door against the floor
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Hinged Door Seal (200 cm)

FINISH OPTIONS



CLEAR



BLACK

HINGED DOORS SEALS

EMSF04-T-200
MIDDLE WING SEAL

For Hinged Shower Doors

Designed to create reliable watertight seal between a hinged shower doors against the wall. Length of the wing is 15 mm.

WATER TIGHT SEAL


SECURE GRIP

UV STABILISED

CRYSTAL CLEAR

EASY INSTALLATION

FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.


The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS



Product code	EMSF04-T-200
Type	Hinged Door Seal
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	On hinged shower door against the wall
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Hinged Door Seal (200 cm)

FINISH OPTIONS

CLEAR

FIXED PANEL SEALS

EMSF05
D SEAL - BALLOON

For Fixed Glass Panels

Designed to create reliable watertight seal for fixed glass panels against both the wall and the floor.

WATER TIGHT SEAL


SECURE GRIP

UV STABILISED

CRYSTAL CLEAR

EASY INSTALLATION

FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS



Product code	EMSF05
Type	Fixed Panel Seal
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	Against the wall or the floor
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Fixed Panel Seal (200 cm)

FINISH OPTIONS



CLEAR



BLACK

MAGNETIC SEALS

EMMF01
90° | 180° MAGNETIC SEAL

For Fixed Glass Panels


Designed to create reliable watertight seal between two fixed glass panels meeting at a 90° angle. This magnetic seal effectively prevents water leakage while maintaining a clean, frameless appearance.




WATER TIGHT SEAL



SECURE GRIP



UV STABILISED




CRYSTAL CLEAR



EASY INSTALLATION



FOR 5/6-8 mm GLASS



PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.


Suitable for oval, straight, corner and other types of shower enclosures.

TECHNICAL DETAILS



Product code	EMMF01
Type	90° 180° Magnetic Seal
Material	PVC with Silicone Fins
Glass Thickness	5/6 8 mm
Length	200 cm (set)
Colour	Transparent
Application	In between two glass panels 90°
Installation	Press fit - no adhesive required

SET CONTAINS:



1 x Magnetic Seal (200 cm)

FINISH OPTIONS



CLEAR



BLACK

CORNER SEALS

HCO1429
22.5° CORNER SEAL

For Fixed Glass Panels

Designed to create reliable watertight seal between two fixed glass panels meeting at a 90° angle. This corner seal effectively prevents water leakage while maintaining a clean, frameless appearance.




WATER TIGHT SEAL



SECURE GRIP



UV STABILISED



CRYSTAL CLEAR



EASY INSTALLATION



FOR 8-10 mm GLASS



PREMIUM SEALING SOLUTIONS



FEATURES


Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS

Product code	HCO1429
Type	22.5° Corner Seal
Material	PVC with Silicone Fins
Glass Thickness	8 - 10 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between two glass panels 90°
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Corner Seal (200 cm)

GLASS-TO-GLASS SEALS

HCO1405

H SEAL

For Fixed Glass Panels

Designed to join two fixed glass panels at a 180° angle. The H seal effectively prevents water leakage while creating a discreet connection and maintaining frameless appearance.



WATER TIGHT SEAL



SECURE GRIP



UV STABILISED



CRYSTAL CLEAR



EASY INSTALLATION



FOR 8-10 mm GLASS

PREMIUM SEALING SOLUTIONS




FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.


The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS



Product code	HCO1405
Type	H Seal
Material	PVC with Silicone Fins
Glass Thickness	8 - 10 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between two glass panels 180°
Installation	Press fit - no adhesive required

SET CONTAINS:




2 x Glass-to-Glass Seal (200 cm)

GLASS-TO-GLASS SEALS

HCO1406
SMALL H SEAL

For Fixed Glass Panels

Designed to join two fixed glass panels at a 180° angle. The small H seal effectively prevents water leakage while creating a discreet connection and maintaining frameless appearance.



WATER TIGHT SEAL



SECURE GRIP



UV STABILISED



CRYSTAL CLEAR



EASY INSTALLATION



FOR 8-10 mm GLASS


PREMIUM SEALING SOLUTIONS

FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS



Product code	HCO1406
Type	Small H Seal
Material	PVC
Glass Thickness	8 - 10 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between two glass panels 180°
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Glass-to-Glass Seal (200 cm)

CORNER SEALS

HCO1410
90° CORNER SEAL

For Fixed Glass Panels

Designed to create a reliable watertight seal between two fixed glass panels meeting at a 90° angle. This corner seal effectively prevents water leakage while creating a discreet connection and maintaining frameless appearance.




WATER TIGHT SEAL



SECURE GRIP



UV STABILISED




CRYSTAL CLEAR




EASY INSTALLATION



FOR 8-10 mm GLASS



PREMIUM SEALING SOLUTIONS



FEATURES

Manufactured from high-quality, crystal clear PVC featuring integrated silicone grip fins. They provide a secure, slip-resistant fit preventing it from slipping or coming off the glass during use without the need for adhesive.

The UV-stabilised material helps resist yellowing, brittleness and ageing caused by prolonged exposure to sunlight, ensuring long-lasting clarity and performance.

TECHNICAL DETAILS

Product code	HCO1410
Type	Double Corner Seal
Material	PVC with Silicone Fins
Glass Thickness	8 - 10 mm
Length	200 cm (each pcs)
Colour	Transparent
Application	In between two glass panels 90°
Installation	Press fit - no adhesive required

SET CONTAINS:



2 x Corner Seal (200 cm)

PROFILE SEALS

EMS01
SOFT PROFILE SEAL

For Fixed Glass Panels

Designed to join two fixed glass panels at a 180° angle. The H seal effectively prevents water leakage while creating a discreet connection and maintaining frameless appearance.

WATER TIGHT SEAL



SECURE GRIP

UV STABILISED


CRYSTAL CLEAR

EASY INSTALLATION

FOR 6 mm GLASS



TECHNICAL DETAILS



Product code	EMS01
Type	Soft Profile Seal
Material	PVC
Glass Thickness	6 mm
Length	10 m (Roll)
Colour	Transparent
Application	Between aluminium profile and glass
Installation	Press fit into the profile between the profile channel and glass

SET CONTAINS:




1 x Profile Seal (10 m)

DESIGNED TO HANG

PRODUCT IN SLEEVE

- Our display system is designed for visibility, easy selection and professional presentation.
- Each seal is labeled with technical drawing and product code for clear identification.
- The transparent sleeve protects the product from dust and damage.
- Organised and space-saving display.





EMIR EOOD

BULGARIA, VARNA

Bul. Hristo Botev 3

www.elegans.bg

www.emirshop.bg

emex@emir.bg

